

A large, leafy tree stands in a field at sunset. The sun is low in the sky, creating a warm, golden glow. The sky is filled with soft, wispy clouds. In the foreground, there is a field of tall grasses and wildflowers. In the background, a line of trees is visible on the horizon. A red banner is overlaid on the right side of the image, containing the text 'FloorLaBs' in a large, white, sans-serif font, and 'One Step Ahead' in a smaller, white, italicized font below it.

FloorLaBs
One Step Ahead

ABOUT US**FloorLaBs**
One Step Ahead

FloorLaBs is one of the leading players in the Flooring and Wood Products Business, located in Izmir, Turkey. FloorLaBs is a brand of Egeçam Forestry company who established in 2002. We have sale points over 5 continents and exports to more than 48 countries and continue to increase our exports to different countries.



PRODUCTION FACILITIES**FloorLaBs**
One Step Ahead

Our products from the best expertise manufacturers are in Europe and Turkey. We have production in Turkey's first MDF, MDFlam and Laminate Flooring manufacturer on a total area of 300,000 m² including 90,000 m² closed plant in the ditch. Our production company has 9 quality and production system certificates are which have international validity. As FloorLaBs we are working with a strong technological infrastructure in its large capacity production facilities and contributes to the development of industry with its qualified production lines:

- **4 Laminate Flooring Line**
- **2 MDF Production Line**
- **2 Impregnation Line**
- **4 Coating Press, Chemical Plant**

PRODUCT RANGE**FloorLaBs**
One Step Ahead

We are offering laminate flooring, three-layer pre-finished and multi-layer pre-finished parquet, decking and cladding, cork underlayment, all kinds of skirting, profiles, underlays and other materials related to flooring.

In addition to flooring products we have sales of MDF, High Gloss panels, and Doors.

A

LAMINATE FLOORING

B

MARQUETRY & PARQUET

C

VINYLS

D

DECKS

E

CARPET TILE & PVC

F

UNDERLAYMENTS

G

SKIRTING BOARDS

H

FLOORING CHEMICAL PRODUCTS

I

FLOORING ACCESSORIES

J

STEEL & ROOM DOORS

FloorLaBs
One Step Ahead

A

LAMINATE FLOORING

B

MARQUETRY & PARQUET

C

VINYLS

D

DECKS

E

CARPET TILE & PVC

F

UNDERLAYMENTS

G

SKIRTING BOARDS

H

FLOORING CHEMICAL PRODUCTS

I

FLOORING ACCESSORIES

J

STEEL & ROOM DOORS

FloorLaBs
One Step Ahead

A

LAMINATE FLOORING

FloorLaBs
One Step Ahead

**PUZZLE COLLECTION
PROGRAMME**

As FloorLaBs, one of our main principles in production is to offer the best price-benefit combination to our customers with the extensive range of product portfolio.

In 2019, the company recorded significant growth in terms of turnover and volume compared to the previous year. Our aim is to continue its growth by taking a more active role in the few countries by 2020.

Contact with us for any kind of need. We have all your needs and we are always 'ONE STEP AHEAD'.

OUR LAMINATE FLOORING PRODUCTION

FloorLaBs
One Step Ahead

In production facilities where we use innovative technologies, we produce special collections of flooring in numerous colors and designs. Our flooring; It does not contain PVC, PCB, Dioxin and any other environmentally harmful substances. We use E1 glue in HDF production which is used in parquet production. Our products; hygienic, convenient, easy to clean, resistant to pressure, scratches, impacts, ultraviolet rays and household chemicals.

Our Laminate Flooring products are divided into two classes according to their surface wear values:

- Flooring AC3 31st grade products used in high and low density indoor areas: "Abrasion Resistance (AC3): 23rd grade-31st grade \geq '3f 2500 EN 13329"
- Flooring AC4 32nd Grade products used for medium density workplaces and living spaces: "Abrasion Resistance (AC4): 32nd grade \geq '3f 4000 EN 13329 EN 13329"

Our Manufacturing HDF Features

Volume : 850-900 kg /m³ EN 323

Elasticity module : 3500 N /mm² EN 310

Surface porosity : 25 cm 24 hour inflatable : >13 EN 317

Tensile strength : min. 1.6 N/mm² EN 319

Flexural strength : min 40 N/mm² EN 310

FloorLaBs CLASSIC | 8MM | AC3/ 31 CLASS**FloorLaBs**
CLASSIC

9322



9324



9323



9325



FloorLaBs CLASSIC | 8MM | AC4/ 32 CLASS**FloorLaBs**
CLASSIC

9326



9328



9327



9329



FloorLaBs SUPER | 8MM | AC4/ 32 CLASS**FloorLaBs**
SUPER

4856



4871



4876



5831



FloorLaBs SUPER | 8MM | AC4/ 32 CLASS

5023



5034



5035



5036



FloorLaBs SUPER | 8MM | AC4/ 32 CLASS**FloorLaBs**
SUPER

5037



5038



7361



7366



FloorLaBs ELITE | 8MM | AC4/ 32 CLASS - 4v**FloorLaBs**
ELITE

5026




5037



5028



5030



5031



5023



FloorLaBs BEYOND XL | 8MM | AC4/ 32 CLASS - 4v

BEYOND XL

5042



5043



5044



5045



5046



FloorLaBs DREAM | 10MM | AC4/ 32 CLASS - 4v

FloorLaBs
DREAM

4936



4946



6421



6422



FloorLaBs DREAM | 10MM | AC4/ 32 CLASS - 4v

FloorLaBs
DREAM

6424



6425



6426



6427



A

SELECT | 12MM | AC5/ 33 CLASS - 4v

SELECT

REGISTER
EMBOSSED
SURFACE

1201



1204



1202



1205



1203



1206



SELECT | 12MM | AC5/ 33 CLASS - 4v

SELECT

REGISTER
EMBOSSED
SURFACE

1207



1212



1208



1213



1209



1214



A

CLASSIC COLLECTION

FloorLaBs
CLASSIC

CLASSIC COLLECTION
8MM | CLASS AC3 - 31

FloorLaBs CLASSIC | 8MM | AC3/ 31 CLASS**FloorLaBs**
CLASSIC

9322



9324



9323



9325



FloorLaBs CLASSIC | 8MM | AC3/ 31 CLASS**FloorLaBs**
CLASSIC

9326



9328



9327



9329



FloorLaBs CLASSIC | 8MM | AC3/ 31 CLASS

FloorLaBs
CLASSIC

9322 OAK BARCELONA



Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : AC3 - 31
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 790 kg
1 Truck : 30 Pallets
3.330m²
23.700kg


The colors may look different in digital format. Please check according to original sample.

A

FloorLaBs CLASSIC | 8MM | AC3/ 31 CLASS

FloorLaBs
CLASSIC

9323 OAK WIEN



Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : AC3 - 31
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 790 kg
1 Truck : 30 Pallets
3.330m²
23.700kg

The colors may look different in digital format. Please check according to original sample.

FloorLaBs CLASSIC | 8MM | AC3/ 31 CLASS

FloorLaBs
CLASSIC

9324 OAK RIO



Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : AC3 - 31
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 790 kg
1 Truck : 30 Pallets
 3.330m²
 23.700kg


The colors may look different in digital format. Please check according to original sample.

A

FloorLaBs CLASSIC | 8MM | AC3/ 31 CLASS

FloorLaBs
CLASSIC

9325 OAK ROME



Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : AC3 - 31
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 790 kg
1 Truck : 30 Pallets
3.330m²
23.700kg

The colors may look different in digital format. Please check according to original sample.

A

FloorLaBs CLASSIC | 8MM | AC3/ 31 CLASS

FloorLaBs
CLASSIC

9326 OAK HELSINKI



Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : AC3 - 31
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 790 kg
1 Truck : 30 Pallets
3.330m²
23.700kg

The colors may look different in digital format. Please check according to original sample.

A

FloorLaBs CLASSIC | 8MM | AC3/ 31 CLASS

FloorLaBs
CLASSIC

9327 OAK LISBON



Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : AC3 - 31
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 790 kg
1 Truck : 30 Pallets
3.330m²
23.700kg

The colors may look different in digital format. Please check according to original sample.

A

FloorLaBs CLASSIC | 8MM | AC3/ 31 CLASS

FloorLaBs
CLASSIC

9328 OAK CAIRO



Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : AC3 - 31
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 790 kg
1 Truck : 30 Pallets
3.330m²
23.700kg

The colors may look different in digital format. Please check according to original sample.

A

FloorLaBs CLASSIC | 8MM | AC3/ 31 CLASS

FloorLaBs
CLASSIC


9329 OAK MADRID



Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : AC3 - 31
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 790 kg
1 Truck : 30 Pallets
3.330m²
23.700kg

The colors may look different in digital format. Please check according to original sample.

FloorLaBs CLASSIC | 8MM | AC3/ 31 CLASS



FloorLaBs CLASSIC

31 CLASS AC3

192,5 MM x 1200 MM x 8 MM

WIDTH	192.5 mm
LENGTH	1200 mm
THICKNESS	8 mm
1 PIECE	0,231 m ²
1 PACKAGE	1,85 m ²
PACKAGE WEIGHT	13 ± 1 kg
PACKAGE	8 ADET



Fazlölçü Teşvikihihite Kullanılan
Koruyucu ve Alev Yalıtımında
Kullanılan İşyerleri İçin



Kalay Yanes Değil
Not Easily Flameable



E1 Formaldehidyle Emisyon
HCHO(2000)



For use in heavy hierarchy floors, floors
and light intensity workplaces



A

SUPER COLLECTION

FloorLaBs
SUPER

SUPER COLLECTION
8MM | CLASS AC4 - 32

FloorLaBs SUPER | 8MM | AC4/ 32 CLASS

4856



4871



4876



5831



FloorLaBs SUPER | 8MM | AC4/ 32 CLASS

5023



5034



5035



5036



FloorLaBs SUPER | 8MM | AC4/ 32 CLASS

5037



5038



7361



7366



A

FloorLaBs SUPER | 8MM | AC4/ 32 CLASS

FloorLaBs
SUPER

4856 OAK CAPE TOWN



Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : **AC4 - 32**
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 810 kg
1 Truck : 29 Pallets
3.219m²
23.490kg

The colors may look different in digital format. Please check according to original sample.

A

FloorLaBs SUPER | 8MM | AC4 - 32 CLASS


FloorLaBs
SUPER

4871 BURMESE TEAK



Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : **AC4 - 32**
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 810 kg
1 Truck : 29 Pallets
3.219m²
23.490kg

The colors may look different in digital format. Please check according to original sample.

FloorLaBs SUPER | 8MM | AC4/ 32 CLASS**FloorLaBs**
SUPER**4876 OAK PARIS**

Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : **AC4 - 32**
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 810 kg
1 Truck : 29 Pallets
3.219m²
23.490kg

The colors may look different in digital format. Please check according to original sample.

A

FloorLaBs SUPER | 8MM | AC4/ 32 CLASS

FloorLaBs
SUPER

5023 PINE BERN



Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : **AC4 - 32**
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 810 kg
1 Truck : 29 Pallets
3.219m²
23.490kg

The colors may look different in digital format. Please check according to original sample.

A

FloorLaBs SUPER | 8MM | AC4/ 32 CLASS

FloorLaBs
SUPER

5034 PINE MOSCOW



Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : **AC4 - 32**
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 810 kg
1 Truck : 29 Pallets
3.219m²
23.490kg

The colors may look different in digital format. Please check according to original sample.

A

FloorLaBs SUPER | 8MM | AC4/ 32 CLASS

FloorLaBs
SUPER

5035 OAK BUDAPEST



Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : **AC4 - 32**
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 810 kg
1 Truck : 29 Pallets
3.219m²
23.490kg

The colors may look different in digital format. Please check according to original sample.

A

FloorLaBs SUPER | 8MM | AC4/ 32 CLASS

FloorLaBs
SUPER

5036 OAK SYDNEY



Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : **AC4 - 32**
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 810 kg
1 Truck : 29 Pallets
3.219m²
23.490kg

The colors may look different in digital format. Please check according to original sample.

FloorLaBs SUPER | 8MM | AC4/ 32 CLASS**FloorLaBs**
SUPER**5037 OAK LONDON**

Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : **AC4 - 32**
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 810 kg
1 Truck : 29 Pallets
3.219m²
23.490kg

The colors may look different in digital format. Please check according to original sample.

A

FloorLaBs SUPER | 8MM | AC4/ 32 CLASS

FloorLaBs
SUPER

5038 WALNUT RIGA



Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : **AC4 - 32**
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 810 kg
1 Truck : 29 Pallets
3.219m²
23.490kg

The colors may look different in digital format. Please check according to original sample.

A

FloorLaBs SUPER | 8MM | AC4/ 32 CLASS

FloorLaBs
SUPER

5831 OAK WARSAW



Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : **AC4 - 32**
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 810 kg
1 Truck : 29 Pallets
3.219m²
23.490kg

The colors may look different in digital format. Please check according to original sample.

FloorLaBs SUPER | 8MM | AC4/ 32 CLASS**FloorLaBs**
SUPER**7361 OAK KYOTO**

Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : **AC4 - 32**
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 810 kg
1 Truck : 29 Pallets
3.219m²
23.490kg

The colors may look different in digital format. Please check according to original sample.

A

FloorLaBs SUPER | 8MM | AC4/ 32 CLASS

FloorLaBs
SUPER

7366 OAK KOBE



Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : **AC4 - 32**
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 810 kg
1 Truck : 29 Pallets
3.219m²
23.490kg

The colors may look different in digital format. Please check according to original sample.

A

ELITE COLLECTION

FloorLaBs
ELITE

ELITE COLLECTION

8MM 4v | CLASS AC4 - 32

FloorLaBs ELITE | 8MM | AC4/ 32 CLASS - 4v**FloorLaBs**
ELITE

5026




5037



5028



5030



5031



5023



A

FloorLaBs ELITE | 8MM | AC4/ 32 CLASS - 4v

FloorLaBs
ELITE

5026 OAK CHICAGO



Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : AC4 - 32
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 810 kg
1 Truck : 29 Pallets
3.219m²
23.490kg

The colors may look different in digital format. Please check according to original sample.

FloorLaBs ELITE | 8MM | AC4/ 32 CLASS - 4v

FloorLaBs
ELITE

5037 OAK LONDON



Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : AC4 - 32
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 810 kg
1 Truck : 29 Pallets
3.219m²
23.490kg

The colors may look different in digital format. Please check according to original sample.

A

FloorLaBs ELITE | 8MM | AC4/ 32 CLASS - 4v

**FloorLaBs
ELITE**

5028 OAK ZURICH



Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : AC4 - 32
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 810 kg
1 Truck : 29 Pallets
3.219m²
23.490kg

The colors may look different in digital format. Please check according to original sample.

A

FloorLaBs ELITE | 8MM | AC4/ 32 CLASS - 4v

FloorLaBs
ELITE

5030 OAK BERLIN



Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : AC4 - 32
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 810 kg
1 Truck : 29 Pallets
3.219m²
23.490kg


The colors may look different in digital format. Please check according to original sample.

A

FloorLaBs ELITE | 8MM | AC4/ 32 CLASS - 4v

FloorLaBs
ELITE

5031 OAK OSLO



Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : AC4 - 32
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 810 kg
1 Truck : 29 Pallets
3.219m²
23.490kg

The colors may look different in digital format. Please check according to original sample.

FloorLaBs ELITE | 8MM | AC4/ 32 CLASS - 4v

FloorLaBs
ELITE

5023 PINE BERN




Thickness: 8mm
Width : 192.5mm
Length : 1200mm
Class : AC3 - 31
1 Packet : 1,85m²
1 Pallet : 111m²
1 Pallet : 810 kg
1 Truck : 29 Pallets
 3.219m²
 23.490kg

The colors may look different in digital format. Please check according to original sample.

FloorLaBs ELITE | 8MM | AC4/ 32 CLASS - 4v

FloorLaBs ELITE



32 CLASS
AC4 • V GROOVE
190 MM x 1380 MM x 10 MM

WIDTH	190 mm
LENGTH	1380 mm
THICKNESS	10 mm
1 PIECE	0,2629 m ²
1 PACKAGE	1,84 m ²
PACKAGE WEIGHT	17,25 ± 1 kg
PACKAGE	7 ADET



Fazlolar Tevricinde Kullanilan
Kovuc ve Ac Yuzeyinde
Kullanilan Isyerleri Icin



Kilay Yans Dcgl
Not Easily Formable



E1 Formaldehyde Emission
HCHO(2000)



For use in heavy traffic / home floor
and light intensity workplaces



EGECAM
GLOBAL TRADE CO.

A

BEYOND XL COLLECTION

FloorLaBs
ELITE

**BEYOND XL
COLLECTION**

8MM 4v | CLASS AC4 - 32

FloorLaBs BEYOND XL | 8MM | AC4/ 32 CLASS - 4v

BEYOND XL

5042



5043



5044



5045



5046



FloorLaBs BEYOND XL | 8MM | AC4/ 32 CLASS - 4v

BEYOND XL

5042 OAK SPLIT



Thickness: 8mm
Width : 192.5mm
Length : 1380mm
Class : AC4 - 32
1 Packet : 2,13m²
1 Pallet : 127,8m²
1 Pallet : 950 kg
1 Truck : 25 Pallets
3.195m²
23.750kg

The colors may look different in digital format. Please check according to original sample.

FloorLaBs BEYOND XL | 8MM | AC4/ 32 CLASS - 4v

BEYOND XL

5043 OAK PLOVDIV



Thickness: 8mm
Width : 192.5mm
Length : 1380mm
Class : AC4 - 32
1 Packet : 2,13m²
1 Pallet : 127,8m²
1 Pallet : 950 kg
1 Truck : 25 Pallets
 3.195m²
 23.750kg

The colors may look different in digital format. Please check according to original sample.

FloorLaBs BEYOND XL | 8MM | AC4/ 32 CLASS - 4v

BEYOND XL

5044 OAK PATRAL



Thickness: 8mm
Width : 192.5mm
Length : 1380mm
Class : AC4 - 32
1 Packet : 2,13m²
1 Pallet : 127,8m²
1 Pallet : 950 kg
1 Truck : 25 Pallets
3.195m²
23.750kg

The colors may look different in digital format. Please check according to original sample.

FloorLaBs BEYOND XL | 8MM | AC4/ 32 CLASS - 4v

BEYOND XL

5045 OAK OHRID



Thickness: 8mm
Width : 192.5mm
Length : 1380mm
Class : AC4 - 32
1 Packet : 2,13m²
1 Pallet : 127,8m²
1 Pallet : 950 kg
1 Truck : 25 Pallets
 3.195m²
 23.750kg

The colors may look different in digital format. Please check according to original sample.

FloorLaBs BEYOND XL | 8MM | AC4/ 32 CLASS - 4v

BEYOND XL

5046 OAK BRATISLAVA

Thickness: 8mm
Width : 192.5mm
Length : 1380mm
Class : AC4 - 32
1 Packet : 2,13m²
1 Pallet : 127,8m²
1 Pallet : 950 kg
1 Truck : 25 Pallets
3.195m²
23.750kg



The colors may look different in digital format. Please check according to original sample.

A

DREAM COLLECTION

FloorLaBs
DREAM

DREAM COLLECTION

10MM 4v | CLASS AC4 - 32

FloorLaBs DREAM | 10MM | AC4/ 32 CLASS - 4v

FloorLaBs
DREAM


4936



4946



6421



6422



FloorLaBs DREAM | 10MM | AC4/ 32 CLASS - 4v

FloorLaBs
DREAM

6424



6425



6426



6427



A**FloorLaBs DREAM | 10MM | AC4/ 32 CLASS - 4v****FloorLaBs**
DREAM**4936 OAK SKOPJE**

Thickness: 10 mm
Width : 190mm
Length : 1380mm
Class : AC4 - 32
1 Packet : 1,84m²
1 Pallet : 103,04m²
1 Pallet : 940 kg
1 Truck : 25 Pallets
2.576m²
23.500kg


The colors may look different in digital format. Please check according to original sample.

A

FloorLaBs DREAM | 10MM | AC4/ 32 CLASS - 4v

FloorLaBs
DREAM

4946 OAK BELGRADE



Thickness: 10 mm
Width : 190mm
Length : 1380mm
Class : AC4 - 32
1 Packet : 1,84m²
1 Pallet : 103,04m²
1 Pallet : 940 kg
1 Truck : 25 Pallets
2.576m²
23.500kg

The colors may look different in digital format. Please check according to original sample.

A**FloorLaBs DREAM | 10MM | AC4/ 32 CLASS - 4v****FloorLaBs**
DREAM**6421 OAK TIRANA**

Thickness: 10 mm
Width : 190mm
Length : 1380mm
Class : AC4 - 32
1 Packet : 1,84m²
1 Pallet : 103,04m²
1 Pallet : 940 kg
1 Truck : 25 Pallets
2.576m²
23.500kg

The colors may look different in digital format. Please check according to original sample.

A

FloorLaBs DREAM | 10MM | AC4/ 32 CLASS - 4v

FloorLaBs
DREAM

6422 OAK MOSTAR



Thickness: 10 mm
Width : 190mm
Length : 1380mm
Class : AC4 - 32
1 Packet : 1,84m²
1 Pallet : 103,04m²
1 Pallet : 940 kg
1 Truck : 25 Pallets
2.576m²
23.500kg


The colors may look different in digital format. Please check according to original sample.

A

FloorLaBs DREAM | 10MM | AC4/ 32 CLASS - 4v



FloorLaBs
DREAM

6424 OAK SOFIA



Thickness: 10 mm
Width : 190mm
Length : 1380mm
Class : AC4 - 32
1 Packet : 1,84m²
1 Pallet : 103,04m²
1 Pallet : 940 kg
1 Truck : 25 Pallets
2.576m²
23.500kg

The colors may look different in digital format. Please check according to original sample.

A**FloorLaBs DREAM | 10MM | AC4/ 32 CLASS - 4v****FloorLaBs**
DREAM**6425 WALNUT ZAGREB**

Thickness: 10 mm
Width : 190mm
Length : 1380mm
Class : AC4 - 32
1 Packet : 1,84m²
1 Pallet : 103,04m²
1 Pallet : 940 kg
1 Truck : 25 Pallets
2.576m²
23.500kg

The colors may look different in digital format. Please check according to original sample.

A**FloorLaBs DREAM | 10MM | AC4/ 32 CLASS - 4v****FloorLaBs**
DREAM**6426 OAK PRISTINA**

Thickness: 10 mm
Width : 190mm
Length : 1380mm
Class : AC4 - 32
1 Packet : 1,84m²
1 Pallet : 103,04m²
1 Pallet : 940 kg
1 Truck : 25 Pallets
2.576m²
23.500kg


The colors may look different in digital format. Please check according to original sample.

A

FloorLaBs DREAM | 10MM | AC4/ 32 CLASS - 4v

FloorLaBs
DREAM

6427 OAK ATHENS




Thickness: 10 mm
Width : 190mm
Length : 1380mm
Class : AC4 - 32
1 Packet : 1,84m²
1 Pallet : 103,04m²
1 Pallet : 940 kg
1 Truck : 25 Pallets
2.576m²
23.500kg

The colors may look different in digital format. Please check according to original sample.

FloorLaBs DREAM | 10MM | AC4/ 32 CLASS - 4v

FloorLaBs DREAM



32 CLASS
AC4 • V GROOVE
190 MM x 1380 MM x 10 MM

WIDTH	190 mm
LENGTH	1380 mm
THICKNESS	10 mm
1 PIECE	0,2629 m ²
1 PACKAGE	1,84 m ²
PACKAGE WEIGHT	17,25 ± 1 kg
PACKAGE	7 ADET



Fazlölçü Teşvihiyle Kullanılan
Kontur ve Ak Yoluyla
Kullanılan İşyerleri İçin



Kalay Yansıma Değeri
Not: Easily Flame Retardant



E1 Formaldehyde Emission
HCHO (2000 µg/m³)



For use in heavy hierarchy floors, floors
and light intensity workplaces



EGEÇAM
Perke & Deck

A

SELECT COLLECTION

FloorLaBs
SELECT

SELECT COLLECTION
12MM 4v | CLASS AC5 - 33

A

SELECT | 12MM | AC5/ 33 CLASS - 4v

SELECT

REGISTER
EMBOSSED
SURFACE

1201



1204



1202



1205



1203



1206




SELECT | 12MM | AC5/ 33 CLASS - 4v


SELECT

REGISTER
EMBOSSED
SURFACE


1207



1212




1208




1213



1209



1214



SELECT | 12MM | AC5/ 33 CLASS - 4v

SELECT

REGISTER
EMBOSSED
SURFACE

1201 OAK VENICE

Thickness: 12 mm
Width : 190mm
Length : 1380mm
Class : AC5 - 34
1 Packet : 1,58m²
1 Pallet : 88,48m²
1 Pallet : 940 kg
1 Truck : 25 Pallets
 2.212m²
 23.500kg



The colors may look different in digital format. Please check according to original sample.

A

SELECT | 12MM | AC5/ 33 CLASS - 4v

SELECT

REGISTER
EMBOSSED
SURFACE

1202 OAK PORTO



Thickness: 12 mm
Width : 190mm
Length : 1380mm
Class : AC5 - 34
1 Packet : 1,58m²
1 Pallet : 88,48m²
1 Pallet : 940 kg
1 Truck : 25 Pallets
2.212m²
23.500kg

The colors may look different in digital format. Please check according to original sample.

A**SELECT | 12MM | AC5/ 33 CLASS - 4v****SELECT**REGISTER
EMBOSSED
SURFACE**1203 OAK MONACO**

Thickness: 12 mm
Width : 190mm
Length : 1380mm
Class : AC5 - 34
1 Packet : 1,58m²
1 Pallet : 88,48m²
1 Pallet : 940 kg
1 Truck : 25 Pallets
2.212m²
23.500kg

The colors may look different in digital format. Please check according to original sample.

A

SELECT | 12MM | AC5/ 33 CLASS - 4v

SELECT

REGISTER
EMBOSSED
SURFACE

1204 OAK VALENCIA



Thickness: 12 mm
Width : 190mm
Length : 1380mm
Class : AC5 - 34
1 Packet : 1,58m²
1 Pallet : 88,48m²
1 Pallet : 940 kg
1 Truck : 25 Pallets
2.212m²
23.500kg

The colors may look different in digital format. Please check according to original sample.

A**SELECT | 12MM | AC5/ 33 CLASS - 4v****SELECT**REGISTER
EMBOSSED
SURFACE**1205 OAK KOPER**

Thickness: 12 mm
Width : 190mm
Length : 1380mm
Class : AC5 - 34
1 Packet : 1,58m²
1 Pallet : 88,48m²
1 Pallet : 940 kg
1 Truck : 25 Pallets
2.212m²
23.500kg

The colors may look different in digital format. Please check according to original sample.


A

SELECT | 12MM | AC5/ 33 CLASS - 4v

SELECT

REGISTER
EMBOSSED
SURFACE

1206 OAK BEIRUT



Thickness: 12 mm
Width : 190mm
Length : 1380mm
Class : AC5 - 34
1 Packet : 1,58m²
1 Pallet : 88,48m²
1 Pallet : 940 kg
1 Truck : 25 Pallets
2.212m²
23.500kg

The colors may look different in digital format. Please check according to original sample.

SELECT | 12MM | AC5/ 33 CLASS - 4v

SELECT

REGISTER
EMBOSSED
SURFACE

1207 OAK GENOA

Thickness: 12 mm
Width : 190mm
Length : 1380mm
Class : AC5 - 34
1 Packet : 1,58m²
1 Pallet : 88,48m²
1 Pallet : 940 kg
1 Truck : 25 Pallets
 2.212m²
 23.500kg



The colors may look different in digital format. Please check according to original sample.

A

SELECT | 12MM | AC5/ 33 CLASS - 4v

SELECT

REGISTER
EMBOSSED
SURFACE

1208 OAK ALEXANDRIA



Thickness: 12 mm
Width : 190mm
Length : 1380mm
Class : AC5 - 34
1 Packet : 1,58m²
1 Pallet : 88,48m²
1 Pallet : 940 kg
1 Truck : 25 Pallets
2.212m²
23.500kg

The colors may look different in digital format. Please check according to original sample.

A

SELECT | 12MM | AC5/ 33 CLASS - 4v

SELECT

REGISTER
EMBOSSED
SURFACE


1209 OAK IZMIR



Thickness: 12 mm
Width : 190mm
Length : 1380mm
Class : AC5 - 34
1 Packet : 1,58m²
1 Pallet : 88,48m²
1 Pallet : 940 kg
1 Truck : 25 Pallets
2.212m²
23.500kg



The colors may look different in digital format. Please check according to original sample.

A**SELECT | 12MM | AC5/ 33 CLASS - 4v****SELECT**REGISTER
EMBOSSED
SURFACE**1212 OAK NICE**

Thickness: 12 mm
Width : 190mm
Length : 1380mm
Class : AC5 - 34
1 Packet : 1,58m²
1 Pallet : 88,48m²
1 Pallet : 940 kg
1 Truck : 25 Pallets
 2.212m²
 23.500kg

The colors may look different in digital format. Please check according to original sample.

A

SELECT | 12MM | AC5/ 33 CLASS - 4v

SELECT

REGISTER
EMBOSSED
SURFACE

1213 OAK BODRUM



Thickness: 12 mm
Width : 190mm
Length : 1380mm
Class : AC5 - 34
1 Packet : 1,58m²
1 Pallet : 88,48m²
1 Pallet : 940 kg
1 Truck : 25 Pallets
2.212m²
23.500kg

The colors may look different in digital format. Please check according to original sample.

A

SELECT | 12MM | AC5/ 33 CLASS - 4v

SELECT

REGISTER
EMBOSSED
SURFACE

1214 OAK CANNES




Thickness: 12 mm
Width : 190mm
Length : 1380mm
Class : AC5 - 34
1 Packet : 1,58m²
1 Pallet : 88,48m²
1 Pallet : 940 kg
1 Truck : 25 Pallets
2.212m²
23.500kg

The colors may look different in digital format. Please check according to original sample.

SELECT | 12MM | AC5/ 33 CLASS - 4v

SELECT

REGISTER
EMBOSSED
SURFACE



PACKING INFORMATION

PACKET	6 PIECES
WIDTH	190 mm
LENGTH	1380 mm
THICKNESS	12 mm
1 PIECES	0,263 m ²
1 PACKET	1,58 m ²
PACKAGE WEIGHT	17 ± 1 kg



Fazlolu Tevziyetli Kullanim
Konusu ve Ac Yuzeyinde
Kullanim Isyerleri Icin

For use (heavy hierarchy) floor/Place
and Light Intensity Workplaces



Kalay Yuzey Değil
Not Easily Formable



E1 Formaldehyde Emision
HCHO(2000)



EGEÇAM
Perke & Deck

Deutscher
Adhese/Klebsmas
Fest
DAR

FSC®
Please
see for
certification



10 Yil Garant
10 Years Warranty



5 Yil Garant
5 Years Warranty



TS EN 709-1



TS EN 13259-08

**F102
WHITE FOAM UNDERLAY**



2,3 and 5mm

**F203
STYROFOAM XPS**



3,5 and 8mm

**F302
METALIZED UNDERLAY**



2,3 and 5mm

**F402
CORK**




2,3 and 5mm

**F501 UNDERHEATING
UNDERLAY**



1,5, 2, 3 mm

**F627
CORK + RUBBER**




2,7 mm

FloorLaBs | UNDERLAYS SEAM TAPE

FloorLaBs
One Step Ahead

F315 ISOLATION ALUMINIUM SEAM TAPE

- Use to tape seam on underlayment
- Provides a moisture proof bond
- Moisture resistant



SKIRTING BOARD

COLLECTION

FloorLaBs
One Step Ahead


PVC SKIRTING BOARD
COLLECTION

This decor-matching plastic skirting is suitable for all laminate flooring, parquet, rigid vinyl and design floors supplied by FloorLaBs. In addition, matching corners and edgings available.







This multifunctional moulding allows cables to be concealed behind it. The cover can subsequently be opened to allow the cables to be easily rerouted or exchanged. It is fixed in place with an integrated applicator.

PVC SÜPÜRGE LİK PVC SKIRTING BOARDS ПВХ НАПОЛЬНЫЙ ПЛИНТУС




The colors may look different in digital format. Please check according to original sample.


	<p>1938</p> <hr/> <p>Product Dimensions Thickness : 19 mm Height : 38 mm Length : 2800 mm</p>
	<p>V 39</p> <hr/> <p>Product Dimensions Thickness : 19 mm Height : 39 mm Length : 2800 mm</p>
	<p>1955-10</p> <hr/> <p>Product Dimensions Thickness : 19 mm Height : 55 mm Length : 2800 mm</p>
	<p>1880</p> <hr/> <p>Product Dimensions Thickness : 18 mm Height : 80 mm Length : 2800 mm</p>

	<p>2040</p> <hr/> <p>Product Dimensions Thickness : 20 mm Height : 40 mm Length : 2800 mm</p>
	<p>1958-14</p> <hr/> <p>Product Dimensions Thickness : 19 mm Height : 58 mm Length : 2800 mm</p>
	<p>1890-14</p> <hr/> <p>Product Dimensions Thickness : 18 mm Height : 90 mm Length : 2800 mm</p>
	<p>TOROS 14100</p> <hr/> <p>Product Dimensions Thickness : 14 mm Height : 100 mm Length : 2400 mm</p>


PP/PVC SKIRTING COLLECTION 6 / 8 / 10 / 12 / 14CM



GL101




GL102




GL103



GL104



GL105



GL106

SKIRTING BOARD

COLLECTION



FloorLaBs
One Step Ahead

**LUXURY
SKIRTING BOARD
COLLECTION**

Wood Veneered Skirting

Doğal ağaç kaplamalı süpürgeliklerimiz; zemindeki parkenizle mükemmel bir uyum içinde duvarlarınızı süslüyor.

Wood veneered skirting; our products by wood veneer skirtings which are perfect match with your parquet on the floor decorate your wall.



FloorLaBs WOOD VENEERED SKIRTING MODELS

FloorLaBs
One Step Ahead

HDF ÜZERİ AHŞAP KAPLAMALI SÜPÜRGELEKLER WOOD VENEERED SKIRTINGS (HDF SUPPORTED)

MODEL MODEL	YÜKSEKLİK HEIGHT mm	KALINLIK THICKNESS mm	UZUNLUK LENGTH mm
 D Kaplama	60 mm'den 200 mm'ye kadar	13-18	2100-2440-2800
 F Kaplama	60 mm'den 200 mm'ye kadar	13-18	2100-2440-2800
 L Kaplama	60 mm'den 100 mm'ye kadar	13-18	2100-2440-2800
 ASTURIA Kaplama	80 mm'den 200 mm'ye kadar	13-18	2100-2440-2800
 FRIGAMA Kaplama	80 mm'den 200 mm'ye kadar	13-18	2100-2440-2800
 SUNFLOWERS Kaplama	100 mm'den 200 mm'ye kadar	18	2100-2440-2800
 TOSKANA Kaplama	120 mm'den 200 mm'ye kadar	18	2100-2440-2800

AĞAÇ DESTEKLİ AHŞAP KAPLAMALI SÜPÜRGELEKLER WOOD VENEERED SKIRTINGS (WOOD-SUPPORTED)

MODEL MODEL	YÜKSEKLİK HEIGHT mm	KALINLIK THICKNESS mm	UZUNLUK LENGTH mm
 D Kaplama	60 mm'den 200 mm'ye kadar	14-15	2100-2440-2800
 F Kaplama	60 mm'den 200 mm'ye kadar	14-15	2100-2440-2800
 L Kaplama	60 mm'den 100 mm'ye kadar	14-15	2100-2440-2800

AHŞAP DUVAR PANELİ / WOODEN WALL BOARD

MODEL MODEL	EN YÜKSEKLİK HEIGHT mm	KALINLIK THICKNESS mm	UZUNLUK LENGTH mm
HDF Üzeri Ahşap Papalı	120-140-150	18	2100-2440-2800
HDF Üzeri Ahşap Kaplamalı	100-120-140	13-18	2100-2440-2800

YER DÖŞEME PANELİ / WOODEN FLOOR BOARD

MODEL	EBAT mm	KALINLIK mm
Merküteri	300X300mm'den 1000X1000mm'ye kadar	15-20
Metar	90-160 X 500-1000	12-20

BAZI AĞAÇ KAPLAMA TÜRLERİ / SOME KIND OF THE WOOD VENEER

MEŞE / OAK	TEAK / TEAK
SAPFI / SAPFI	AFRORMOSIA / AFRORMOSIA
KAYIN / BEECH	AKÇAĞAĞ / ALDER
DULSIA / DOUSSIE	DIŞBUDAK / ASH TREE
IROKO / IROKO	JATODA / JATODA
CEVİZ / WALNUT	ANİGRA / ANİGRA
WENGE / WENGE	PATİNA ÜRÜNLER / LIVED VENEERS
RAMBLI / RAMBLI	AIPI KAPLAMALARI / ENGINEERED VENEERS
MERBAU / MERBAU	RENKLENDİRİLMİŞ ÜRÜNLER / COLOURISED VENEER

Tüm modellerimizde askılık sistemi uygulanmaktadır.

Hanger System Is Applied For All Products.





FloorLaBs WOOD VENEERED SKIRTING MODELS



FloorLaBs LACQUERED & PVC SKIRTING MODELS



FloorLaBs
One Step Ahead

LAKESÖPÖRGEL İKLER / LACQUERED SKIRTINGS				
	MODEL MODEL	YÜKSEKLİK HEIGHT mm	KALINLIK THICKNESS mm	UZUNLUK LENGTH mm
	D LAKE	60 mm'den 200 mm'ye kadar	13-18	2600
	F LAKE	60 mm'den 200 mm'ye kadar	13-18	2600
	I LAKE	60 mm'den 100 mm'ye kadar	13	2600
	VERONA	60 mm'den 200 mm'ye kadar	13-18	2600
	BERGAMA	80 mm'den 200 mm'ye kadar	13-18	2600
	ASTORIA	80 mm'den 200 mm'ye kadar	13-18	2600
	SİMİRNA	80 mm'den 200 mm'ye kadar	18	2600
	SUNFLOWER	100 mm'den 200 mm'ye kadar	18	2600

LAKESÖPÖRGEL İKLER / LACQUERED SKIRTINGS				
	MODEL MODEL	YÜKSEKLİK HEIGHT mm	KALINLIK THICKNESS mm	UZUNLUK LENGTH mm
	MARSILYA	100 mm'den 200 mm'ye kadar	18	2900
	HİKYA	120 mm'den 200 mm'ye kadar	18	2900
	TOSKANA	120 mm'den 200 mm'ye kadar	18	2900
	KARYA	120 mm'den 200 mm'ye kadar	18	2900
	TRUVA	120 mm'den 200 mm'ye kadar	18	2900
	OLİMPİA	120 mm'den 200 mm'ye kadar	18	2900
	FETRA	120 mm'den 200 mm'ye kadar	18	2900
	SİDLYA	160 mm	30	2900

FloorLaBs LACQUERED & PVC SKIRTING MODELS

FloorLaBs
One Step Ahead






FloorLaBs LACQUERED & PVC SKIRTING MODELS



ALÜMİNYUM SÜPÜRGELİK
ALUMINIUM SKIRTING BOARDS
АЛЮМИНИЕВЫЙ НАПОЛЬНЫЙ ПЛИНТУС





KABLO KANALLI ALÜMİNYUM SÜPÜRGELİK
ALUMINIUM SKIRTING BOARDS WITH CHANNEL FOR CABLEING
ПЛИНТУС С КАБЕЛНОМ КАНАЛОМ



01

ÖLÇÜ : 60 mm
KOD : SPALM
BOY : 250 cm



11

ÖLÇÜ : 60 mm
KOD : SPALMPR
BOY : 250 cm

ALÜMİNYUM SÜPÜRGELİK AKSESUARLARI
ALUMINIUM SKIRTING ACCESSORIES
ДЕТАЛИ ДЛЯ АЛЮМИНИЕВЫХ ПЛИНТУСОВ



İÇ KÖŞE



DİŞ KÖŞE



EK ARAÇ



EK ARAÇ



SAC FINAL



SOL FINAL

G801

G802


G803

ALÜMİNYUM SÜPÜRGELİK
ALUMINIUM SKIRTING BOARDS
АЛЮМИНИЕВЫЙ НАПОЛЬНЫЙ ПЛИНТУС

G804



ÖLÇÜ : 90 mm
KOD : SPALMDZ90
BOY : 300 cm



FloorLaBs | ALUMINIUM SKIRTING BOARDS

FloorLaBs
One Step Ahead

G805



01

ÖLÇÜ: 60 mm
KOD : SPALMDZ60
BOY : 300 cm




G806



11

ÖLÇÜ : 60 mm
KOD : SPALMDZP60
BOY : 300 cm




G807



ALM. MONTAJ ARAÇI

ALM. GÜPÜRÜKLÜ KÖYDE

ÖLÇÜ: 102 mm
KOD : SPALMDZ102
BOY : 300 cm



PVC ve ALÜMİNYUM KAPLAMALI HALI PARKE GEÇİŞ PROFİLLERİ
COVERED PVC&ALUMINIUM TRANSITION PROFILE FOR CARPET-PARQUET
ПРОХОДНЫЕ ПРОФИЛИ С ПОКРЫТИЕМ ДЛЯ КАВРОВ И ПАРКЕТОВ ИЗ ПВХ-АЛЮМИНИЙ

30 mm ALÜMİNYUM KAPLAMALI GEÇİŞ PROFİLLERİ
30 mm COVERED ALUMINIUM TRANSITION PROFILES
30 MM АЛЮМ. ПРОХОДНЫЕ ПРОФИЛИ С ПОКРЫТИЕМ



ÖLÇÜ : 30 mm
KOD : GPRAK30
BOY : 270 cm

40 mm ALÜMİNYUM KAPLAMALI GEÇİŞ PROFİLLERİ
40 mm COVERED ALUMINIUM TRANSITION PROFILES
40 MM АЛЮМ. ПРОХОДНЫЕ ПРОФИЛИ С ПОКРЫТИЕМ




ÖLÇÜ : 40 mm
KOD : GPRAK40
BOY : 270 cm

35 mm PVC KAPLAMALI GEÇİŞ PROFİLLERİ (Bantlı)
35 mm COVERED PVC TRANSITION PROFILES (With Band)
35 mm ПВХ ПРОХОДНЫЕ ПРОФИЛИ С ПОКРЫТИЕМ (С ЛЕНТОЙ)



ÖLÇÜ : 35 mm
KOD : GPRP35
BOY : 270 cm

50 mm ALÜMİNYUM KAPLAMALI GEÇİŞ PROFİLLERİ
50 mm COVERED ALUMINIUM TRANSITION PROFILES
50 MM АЛЮМ. ПРОХОДНЫЕ ПРОФИЛИ С ПОКРЫТИЕМ



ÖLÇÜ : 50 mm
KOD : GPRAK50
BOY : 270 cm

I201

I202

I203

I204




ÖLÇÜ : 37 mm
KOD : GPRES7
BOY : 270 cm




LAMİNANT KOT FARKI PROFİLİ **THE LEVEL DIFFERENCE LAMINATE PROFILE**

Профиль для разницы отметок ламинированного паркета



I205




ÖLÇÜ : 10 mm
KOD : LKFA10
BOY : 270 cm



I206





ÖLÇÜ : 15 mm
KOD : LKFA15
BOY : 270 cm




LAMINANT PARKE Z PROFİLİ / Z PROFILES FOR LAMINATE PARQUET
ПРОФИЛЬ (Z) ДЛЯ ПАРКЕТОВ



I207




ÖLÇÜ : 27 mm
KOD : LPZP08
BOY : 270 cm





I208




ÖLÇÜ : 39 mm
KOD : LPZP10
BOY : 270 cm



I209





ÖLÇÜ : 30 mm
KOD : LPZZ10
BOY : 270 cm



LAMINANT PARKE MERDİVEN BURUNLUĞU PROFİLLERİ
NOSING OF STAIR PROFILES FOR LAMINATE PARQUET
АЛЮМИНИЕВЫЕ ПРОФИЛИ ДЛЯ СТУПЕНКИ - ПАРКЕТОВ



I210



ÖLÇÜ : 8 mm
KOD : LPBR08
BOY : 270 cm



I211




ÖLÇÜ : 10 MM
KOD : LPBR10
BOY : 270 cm



LAMINANT PARKE BITİM PROFİLİ / ENDING PROFILES FOR LAMINATE PARQUET
ФИНИШНЫЙ ПРОФИЛЬ ДЛЯ ПАРКЕТОВ

I212



ÖLÇÜ : 8 mm
KOD : LBPA08
BOY : 270 cm

ÖLÇÜ : 10 mm
KOD : LBPA10
BOY : 270 cm



I213



ÖLÇÜ : 8 mm
KOD : LBPA08
BOY : 270 cm



HAÇ BITİM PROFİLİ THE ENDING CARPET PROFILE
ФИНИШНЫЙ ПРОФИЛЬ ДЛЯ КАРПОВ

I214




ÖLÇÜ : 8 mm
KOD : HBPA08
BOY : 270 cm



ALÜMİNYUM KÖŞEBENTLER ALUMINIUM ANGLE BAR АЛЮМИНИЕВЫЕ УГОЛКИ

I215



ÖLÇÜ : 10x10
KOD : FKDA10
BOY : 270 cm

ÖLÇÜ : 15x15
KOD : FKDA15
BOY : 270 cm

ÖLÇÜ : 20x20
KOD : FKDA20
BOY : 270 cm

ÖLÇÜ : 30x30
KOD : FKDA30
BOY : 270 cm

I216



20 mm Alüminyum T Profili



ÖLÇÜ :20 mm
KOD :GPRT20
BOY :270 cm




I217



15 mm T Profili



ÖLÇÜ :15 mm
KOD :GPRT15
BOY :270 cm



I218



25 mm T Profili



ÖLÇÜ :25 mm
KOD :GM1125
BOY :270 cm



I219



30 mm T Profili



ÖLÇÜ :30 MM
KOD :GPRT30
BOY :270 CM



FloorLaBs | ACCESSORIES : CUTTING TOOLS



I721- ADJUSTABLE CUTTING MACHINE

FloorLaBs

One Step Ahead

Cutting with 300mm Saw

30-32 mm Saw Arbor Bush

Aluminum Motor Housing

Powerful Induction Motor

Comfortable Working because of Vibrationless Working

All Ball Bearing Construction

Top Table With Height Adjustment

Aluminum Casting Machine Body

Powerful Clamp System

Voltage	230 V
Power Requirement	0,75 kW
Frequency	50 Hz
Amper	3,2 A
No Load Speed	2800 Rpm
Saw Diameter	300 mm
Left and Right Angles	45° - 0° - 45°
Bevel Angles	45° - 0°
Cutting Capacity	
Left or Right 0° - Bevel 0°	(H) 60 mm x 120 mm
Left or Right 45° - Bevel 0°	(H) 60 mm x 90 mm
Left or Right 0° - Bevel 45°	(H) 45 mm x 120 mm
Table Saw Cutting Height	30 mm
Net Weight (KG)	30 Kg

- Extremely high build quality
- Long durability of the blade
- Reduced amount of dust left to clean up
- Saves time as cutting on the spot



1722- Laminate Cutter for Cross
Cutting

FloorLaBs | ACCESSORIES : CLEANING KIT

FloorLaBs
One Step Ahead



1901 - FLOORING
CLEANER
CONCENTRATED



1902 - PARQUET
CARE CLEANER



1903 - MOB

This high-quality glue trowel is indispensable for a professional 'glue-down' installation of floor.



1781- 3 TO 8MM ADHESIVE SPREADER
WITH ORTOPEDIC HANDLE



1782- 3 TO 8MM ADHESIVE SPREADER
WITH FULL CONTROLLED HANDLE

Spacers can be used to install any laminate flooring, vinyl plank flooring, engineered hardwood, bamboo, LVT, Subfloor panels, or any other floating floor material. Spacers will ensure that your installation maintains the correct expansion gap between the floor and your walls.



1731 - INSTALLATION SPACER

Closes gaps when installing flooring. Its beveled end prys into tight spaces, while the steel block provides a heavy duty hammer contact point that doesn't absorb your strike. When you need extra strength, this tool is the answer.



1732 - Pull and Pry Bar for Installation

A strong outer shell protects your knee from sharp objects while an inner silicone gel cushion acts as a shock absorber for your joints. The outer shell also features a traction based design to allow the user to move with confidence on their knees while working. Elasticated high quality straps focus on holding the knee pad in place while not being overly restrictive.

Adjustable straps for a secure fit. Ergonomically designed and tested straps ensure no pinching to the back of the wearers leg.



1741 - KNEE PADS

Steel toe (Steel toe resistance to up to 200 Joule impacts). Suede, Skin leather laminated with felt

- Double density polyurethane sole
- Antistatic
- Shock absorbing sole
- Oil resistant
- Anatomic
- Removable, breathable
- Polyurethane



1732 - SAFETY SHOES



FloorLaBs
One Step Ahead

EXPORT DEPARTMENT

export@egecam.com
TEL : +905336725990

HEAD OFFICE

info@egecam.com
TEL : +905317781178
Yeşillik Cad. No:167/1
IZMIR - TURKEY